

JASTRA[®]

ESSENCE OF QUALITY



diestrect elite pink wern gold

Paints

PREMIUM EMULSIONS • ADVANCED DISTEMPERS

vibrant, durable colors



Adhesives

WALL & FLOOR TILE ADHESIVES

unmatched strength



Grouts & Primers

EPOXY GROUTS • PROTECTIVE PRIMERS

complete protection



EXPLORE INNOVATION • DISCOVER QUALITY • TRANSFORM SPACES

Har Ghar ki Jarurat,
Har Ghar Ka Saathi

OUR COMMITMENT

- UNMATCHED DURABILITY & LONGEVITY
- SUPERIOR COLOR CONSISTENCY
- ADVANCED PROTECTION & FINISH


www.jastraproducts.com +919729640576





Jastra Elite Luxury Emulsion

Gloss/Sheen Level: High Sheen	Coverage: 150 Sq feet / L / 2coats	Drying Time: 1-2hr / 48hr	★★★★★ Strength
---	--	-------------------------------------	--------------------------



Removes Stains Effortlessly

Reduces Interior Temperature

**Removes Stains
Reduces Temp**

**High Color
Retention Power**

**No Algae
Formation**



**No Algae Formation
(interior and exterior)**

**Stain Shield
Technology**

Crack Proof Paint

Anti-Dust Technology
(Dust ko diwar pe tikne na de)





JASTRA EXPERT LUXURY EMULSION



INTERIOR:
EASY STAIN
REMOVAL



**CRACK PROOF
PAINT**



**NO ALGAE
FORMATION
ON WALL**



EXTERIOR:
REDUCES INTERIOR
TEMPERATURE



**STAIN SHIELD
TECHNOLOGY**



**DUST KO DIWAR
PE TIKNE NA DE**



**GREAT COLOUR
RETENTION
POWER**



**7
YEAR
PERFORMANCE
WARRANTY**



TECHNICAL DETAILS

Gloss/Sheen Level:	MID Sheen
Coverage:	150 Sq feet / L / 2 coats
Drying Time:	1-2hr / 48hr
Dilution:	25 to 30%
STRENGTH:	★★★★★



JASTRA SHIELD PREMIUM EXTERIOR EMULSION

Advanced All-Weather Protection



TECHNICALLY SUPERIOR

PRODUCT STRENGTH

5 STARS STRENGTH

 <p>Gloss/Sheen Level Soft Sheen</p>	 <p>85Sq Coverage 85Sq feet / L / 2coats</p>
 <p>Drying Time 1-2hr / 48hr</p>	 <p>Dilution 30 to 40%</p>


 <p>DUST KO DIWAR PE TIKNE NA DE</p>	 <p>GREAT colour retention power</p>	 <p>NO ALGAE FORMATION ON WALL</p>
 <p>STAIN SHIELD TECHNOLOGY</p>	 <p>CRACK PROOF PAINT</p>	 <p>6 YEAR PERFORMANCE WARRANTY</p> <p>6 year performance warranty</p>



JASTRA ALPHA GLARE EXTERIOR EMULSION

EXCEPTIONAL EXTERIOR FINISH & PROTECTION

THE PRODUCT



Gloss/Sheen Level
- Soft Sheen



Coverage -
75Sq feet / L / 2coats



Drying Time -
1-2hr / 48hr



Dilution -
30 to 40%



Strength



GOOD colour
retention power



NO ALGAE
FORMATION
ON WALL



performance
warranty



ALPHA ADVANCE

EXTERIOR EMULSION

PREMIUM MATT FINISH PAINT



TECHNICAL SPECIFICATIONS & BENEFITS



GLOSS/SHEEN LEVEL:
MATT FINISH
COVERAGE:
75 Sq feet / L / 2 coats



DRYING TIME:
1-2hr (Touch Dry) / 48hr (Hard Dry)



DILUTION:
30 to 40%



ALL WEATHER PROTECTION

UNMATCHED QUALITY

www.jastraproducts.com

info@jastra.in

+919729640576




INTRODUCING JASTRA ALPHA EXTERIOR EMULSION



TECHNICAL DETAILS



STRENGTH



COVERAGE:
65 Sq feet / L / 2 Coats



DRYING TIME:
1-2 hr (Touch Dry) /
48 hr (Full Cure)



DILUTION:
25 to 30%



GLOSS/SHEEN LEVEL:
MATT FINISH

★ ★ ★ ★
**2 YEAR
PERFORMANCE
WARRANTY**

ECONOMICAL RANGE

- High Performance at an
Affordable Price.



JASTRA ALPHA EXTERIOR EMULSION

KEY BENEFITS:
Durable Protection
Weather Resistant
Excellent Adhesion





PREMIUM RANGE

JASTRA STANDARD GLARE INTERIOR EMULSION

A Soft-Sheen, Premium Finish
for Your Dream Home

 **Gloss/Sheen Level:**
Soft Sheen Finish

 **Coverage:**
75 Sq feet / L / 2 coats

 **Drying Time:**
1-2hr (touch) / 48hr (full)

 **Dilution:**
30 to 40%

 **Strength:**
★★★★

**LIFETIME
PERFORMANCE
WARRANTY
FOR INTERIORS***
(with Terms & Conditions*)





JASTRA STANDARD ADVANCE INTERIOR EMULSION

PREMIUM RANGE



TECHNICAL DETAILS



Gloss/Sheen Level - Matt Finish



Coverage - 75 Sq feet / L / 2 coats



Drying Time - 1-2hr / 48hr



Dilution - 30 to 40%



Strength - ★★★★★



Warranty:
LIFETIME PERFORMANCE WARRANTY
(for Interior, T&C apply)

**LIFETIME
PERFORMANCE
WARRANTY
FOR INTERIOR**

Terms and Conditions Apply



STANDARD INTERIOR EMULSION

PREMIUM RANGE



Gloss/Sheen Level
Matt Finish



Coverage
65 Sq feet / L / 2 coats



Drying Time
1-2 Hr (Touch) / 48 Hr (Full)



Dilution
25% to 30%



STRENGTH



PREMIUM DISTEMPER (SUPER LATEX PAINT)

10 YEAR
PERFORMANCE
WARRANTY*

*Terms & Conditions Apply



GLOSS/SHEEN
Matt Finish

FOR INTERIOR USE ONLY

TECHNICAL DETAILS



Gloss/Sheen Level -
Matt Finish



Coverage -
60 Sq feet / kg /
2 coats



Drying Time -
1-2hr (Touch Dry)
48hr (Full Cure)



Dilution -
30 to 40%



STRENGTH / DURABILITY



ADVANCE DISTEMPER (LATEX PAINT)



*Terms & Conditions Apply

TECHNICAL SPECIFICATIONS



Gloss/Sheen Level:
Matt Finish



Coverage:
~45 Sq feet / kg / 2 coats



Drying Time:
1-2hr (Touch-dry) /
48hr (Re-coat)



Dilution:
25 to 30% with water



Strength:

3-STAR RATING

PREMIUM QUALITY INTERIOR COATING



FOR INTERIOR USE ONLY



www.jastraproducts.com



info@jastra.in



+919729640576



ECO Interior Cement Primer

ECONOMICAL RANGE

MATT FINISH



GOOD ADHESION **EXCELLENT HIDING** **GREAT COVERING**



TECHNICAL DETAILS

-  Gloss/Sheen Level:
Matt Finish
-  Coverage:
90 Sq feet / L / 1 coats
-  Drying Time:
1-2hr (Re-coat) / 48hr (Full-cure)
-  Dilution:
25 to 30%
-  Strength Rating:
3 / 5 Stars
Product Strength Rating

FOR INTERIOR USE ONLY

 **INTERIOR**  **EXTERIOR**



JASTRA PREMIUM INTERIOR CEMENT PRIMER PREMIUM RANGE



FOR INTERIOR USE ONLY



**GOOD
ADHESION**



**EXCELLENT HIDING
& COVERING**



**SMOOTH FINISH
OF PAINT**



**ACTUAL COLOR
OUTPUT**



TECHNICAL SPECIFICATIONS



Gloss/Sheen Level:
Matt Finish



Coverage:
**120 Sq feet / L
/ 1 coats**



Drying Time:
1-2hr / 48hr



Dilution:
30 to 40%



STRENGTH





ALL ROUNDER

Interior & Exterior Cement Primer
(Premium Range)



Good Adhesion



Hiding & Covering



Smooth Finish



Actual Color Output

TECHNICAL DETAILS

Gloss/Sheen Level	-	Matt Finish
Coverage	-	120 Sq feet / L / 1 coats
Drying Time	-	1-2hr / 48hr
Dilution	-	30 to 40%

Strength: 4.5 out of 5 stars

www.jastraproducts.com | info@jastra.in | +919729640576

TRUSTED FOR BOTH INTERIOR & EXTERIOR USE

JASTRA[®]

ESSENCE OF QUALITY



**GOOD
ADHESION**



**HIDING AND
COVERING**



**SMOOTH FINISH
OF PAINT**



**ACTUAL COLOR
OUTPUT**



**ANTI
FUNGAL**



**ALKALI
GUARD**



**PREMIUM
RANGE**



TECHNICAL DETAILS



GLOSS/SHEEN LEVEL: Matt Finish



COVERAGE: 120 Sq feet / L / 1 coats



DRYING TIME: 1-2hr (Touch Dry) / 48hr (Hard Dry)



DILUTION: 30 to 40% with clean water

STRENGTH



5 Stars out of 5 (Overall Product Strength)

FOR

EXTERIOR

USE



www.jastraproducts.com



info@jastra.in



+919729640576

**PREMIUM
CEMENT PRIMER**

JASTRA[®]
ESSENCE OF QUALITY

**LUXURY
RANGE**



**INTERIOR
USE**



**EXTERIOR
USE**



**Good
Adhesion**



**Hiding &
Covering**



**Smooth Finish
of Paint**



**Actual Color
Output**



Anti-Fungal



**Alkali
Guard**



**For Luxury
Finishes**



**Base Coat for
Luxury Paints**
(for extra smooth finish)



**Gloss/Sheen Level:
Matt Finish**



**Coverage:
150 Sq feet / L / 1 coat**



**Drying Time:
1-2hr / 48hr**



**Dilution:
40 to 50%**



**QUALITY STRENGTH:
★★★★★ (5 Stars)**



www.jastraproducts.com



info@jastra.in



[+919729640576](tel:+919729640576)

JASTRA[®]



JASTRA REPAIR MASTER PRIMER

DAMAGED WALLS SOLUTION



**DAMPNESS REMEDY &
PRE-PUTTY WATERPROOF COAT**

5 STARS
STRENGTH RATING
★★★★★

INTERIOR USE



**BASE COAT FOR
DAMP-EFFECTIVE AREA**



EXTERIOR USE



KEY APPLICATION STEPS



1 SURFACE PREP:
Clean & Dry



2 2 COATS: Vertical & Horizontal
Apply 1st coat vertically. Dries transparent.
Apply 2nd coat horizontally. (Drying time: 1-2hr)



3 FINAL TOP COAT:
Next Upper Coating: Putty or Paint (Smooth & Last Finish).
Increases Paint Life

BENEFITS

OUTSTANDING ADHESION | BONDING BETWEEN CEMENT PARTICLES | LONG-LASTING PROTECTION

TECHNICAL DETAILS

▪ **Gloss/Sheen Level:**
Transparent Glossy Finish

▪ **Coverage:**
20 Sq feet / L / 1 coat

Drying Time:
1-2hr / 48hr

Dilution:
No Dilution

www.jastraproducts.com

info@jastra.in

+91 9729640576

Manufactured by Jastra Products



OUR DIVERSE RANGE OF PAINT SOLUTIONS

PREMIUM METALLIC EMULSION



ADD LUXURIOUS METALLIC FINISHES TO YOUR WALLS



DURABLE OIL BASE PROTECTORS

- RED OXIDE PRIMER
- WOOD PRIMER
- HI-GLOSS ENAMEL
- TOUCH WOOD FINISH



PROTECTION FOR WOOD & METAL



ADVANCE UNIVERSAL STAINER



CHANGE ANY PAINT'S COLOR
HIGH COLOR STRENGTH
AVAILABLE IN A WIDE RANGE OF COLORS






PREMIUM WALL PUTTY AVAILABLE IN TWO TYPE SMOOTH AND WATER PROOF



SMOOTH WALL PUTTY

Covering: 8-12 Sq feet/kg

Strength: ★★★★★



WATERPROOF WALL PUTTY

Covering: 12-15 Sq feet/kg

Strength: ★★★★★



TEXTURE RUSTIC

Covering: 90-100 Sq feet/bag

Strength: ★★★★★

Available in 25 kg bag



JASTRA WATER LOCK EPOXY GLUE



STRONG



STRETCHABLE



TRANSPARENT

HIGH-PERFORMANCE WATERPROOFING & SEALING



ROOFTOP VITRIFIED TILE GAPS
- Durable against high traffic.
Cures transparent & hard.



WINDOW & WALL GAPS -
Stops rainwater ingress during heavy rain.



TIN SHED ROOF JOINTS -
Reinforces wall connections
against leaks.



ROOF TOP CRACKS - Remedial & preventative: Fixes existing leaks and prepares for waterproofing.



PACKAGING OPTIONS:
300g Packing (12 pcs)
1kg Packing (6 pcs)



www.jastraproducts.com



info@jastra.in



+919729640576



RANGE OF PREMIUM
TILE ADHESIVES



JASTRA STANDARD TILE ADHESIVE (White & Grey)

- Floor:** use for floor all size tiles.
- Wall:** for wall 12x18 size and 24x24 tiles upto 12 feet high.
- Use:** for interior use only.

JASTRA ALPHA TILE ADHESIVE (White & Grey)

- Wall:** use for wall upto 24x48 inch size tile
- Height:** upto 14 feet high.
- Use:** for interior use only.



JASTRA SHIELD TILE ADHESIVE (White & Grey)

- All Tiles
- Exterior
- Marble
- Granite

Use: use for all size tile, marble and granite
Application: it can be used for exterior




Jastra Premium Epoxy Grout

Total Surface Protection, Interior & Exterior

Interior Applications:
Golden Gloss



Exterior & Roof Applications:
Black Gloss



Suitable for All Surfaces
(Interior & Exterior)



High Glossy Finish



Long-Life in Direct Sunlight
(UV Resistant)



Exceptional 5-Star Strength

Guarantee Nahi, Sirf Naam Kaafi Hai

 www.jastraproducts.com

 info@jastra.in

 +919729640576

Made in India | Quality you can trust



WELCOME TO JASTRA: YOUR TOTAL CONSTRUCTION SOLUTIONS PARTNER

ABOUT US

Established on a foundation of quality and innovation, Jastra has grown into a trusted name for comprehensive construction and infrastructure products. We pride ourselves on delivering solutions that stand the test of time, blending advancing to aesthetic finishes, Jastra is your reliable partner.

OUR KEY DIVISIONS

PLUMBING & ELECTRICAL SOLUTIONS



PLUMBING & ELECTRICAL SOLUTIONS

- High-Performance 6-Layer Water Storage Tanks, Premium Garden Pipe
- Premium Conduit and Flexible Pipe and Wires
- Advanced Electrical Distribution Boards
- Jointless Module Box and PBT Module Box

PAINTS & COATINGS DIVISION



PAINTS & COATINGS DIVISION

- Elite Premium Emulsion (High Gloss & Finish)
- Alpha All-Weather Exterior Emulsion
- Shield Dust-Proof & Anti-Algae Solutions
- Advanced Interior Distemper and Specialty Primers (Red Oxide, Wood)

WHY JASTRA?



UNMATCHED QUALITY ASSURANCE
(IS:1 standards, quality checks)



COMPREHENSIVE PRODUCT RANGE
Total Solution Providers



INNOVATION-DRIVEN PRODUCTS
(e.g., 6-layer technology)



DEDICATED CUSTOMER SUPPORT
Dedicated Customer Support
Reliability

CONTACT US



www.jastraproducts.com



info@jastra.in



+919729640576

